

## **Curriculum Vitae:**

Dr. Helen Skaltsa is Associate Professor of the Department of Pharmacognosy and Chemistry of Natural Products, School of Pharmacy, University of Athens.

In 1981, she graduated as a pharmacist from the University of Athens, School of Pharmacy, with full marks.

In 1985, she supported her PhD thesis entitled "Phytochemical investigation of *Ocimum basilicum* L." under the supervision of Prof. S. Philianos.

In 1988, she had post doc studies at the «Laboratoire de la Recherche Thérapeutique en Cancérologie», Université de Nantes, France, on a 6 months scholarship. There, she was trained in the techniques of in vitro testing for anticancer activity.

In 1988, she was elected as a lecturer of the Department of Pharmacognosy and Chemistry of Natural Products at the University of Athens.

In 1993, she was promoted to the position of Assistant Professor.

In 1994 and 1997, she worked for 6 months at the University of Valencia, Department of Organic Chemistry, Faculty of Chemistry, specializing in the chemistry of naturally occurring terpenes.

In 2000, she worked for 3 months at Laboratory of Prof. O. Sticher, Institute of Pharmaceutical Sciences, ETH Zurich, Switzerland. In this excellent scientific environment, she had the chance to further complete her knowledge on the chemistry of natural products.

In 2003, she was promoted to the position of Associate Professor.

She is Chairman of the Advisory Committee for the Homeopathic Products & Herbal Medicines- National Organization for Medicines of Greece since 2004.

She is Departmental Coordinator of Socrates programs (higher education-Erasmus) with the Faculties of Pharmacy of Firenze, Ferrara, Calabria, Valencia, Regensburg, Izmir.

## **LANGUAGES**

Greek (native language), French (teaching license), English, Spanish.

## **Main research topics**

- ❖ Phytochemistry, i.e. isolation and identification of secondary metabolites from medicinal and aromatic plants [Sesquiterpene lactones, iridoids, diterpenoids, flavonoids, phenylethanoid glycosides, monoterpane glucosides, phenolic glycosides, phloroglucinols, essential oils etc].
- ❖ Spectroscopy, highfield NMR, 1D & 2D: COSY, HSQC, HMBC, ROESY, NOESY, TOCSY etc, Mass Spectroscopy etc.
- ❖ Analytical techniques: HPLC, MPLC , VLC, CC, TLC.
- ❖ Biological activity of secondary metabolites of medicinal plants, especially antibacterial and antifungal activities, antioxidant activity, cytotoxic/cytostatic activity.
- ❖ Environmental research and chemical ecology, as well as virtual screening, docking, QSAR, and prediction of ADME properties of the isolated bioactive secondary metabolites; design of semi-synthetic derivatives with a better pharmacodynamic and pharmacokinetic profile.

## PUBLICATIONS

|    |  |
|----|--|
| 1  | Contribution à l'étude chimique d' <i>Ocimum basilicum</i> L.-1ère communication.<br>H. Skaltsa, S. Philianos*. Plantes médicinales et Phytothérapie, 1986, XX, 4, 291-299.  |
| 2  | Contribution à l'étude chimique d' <i>Ocimum basilicum</i> L.- 2ème communication.<br>H. Skaltsa, S. Philianos*. Plantes médicinales et Phytothérapie 1990, XXIV, 3, 193-196.  |
| 3  | Contribution à l'étude chimique d' <i>Origanum dictamnus</i> L.-1ère communication. C. Harvala*,<br><b>H. Skaltsa</b> . Plantes médicinales et Phytothérapie, 1986, XX, 4, 300-304.  |
| 4  | Contribution à l'étude chimique d' <i>Origanum dictamnus</i> L.- 2ème communication. (glycosides des feuilles). <b>H. Skaltsa</b> , C. Harvala*. Plant. Méd. Phytothérapie, 1987, XXI, 1, 56-62.                             |
| 5  | Analysis of the Essential Oil of Greek Sweet Basil. <b>H. Skaltsa</b> , A. Loukis*. Planta Medica, Vol. 52, Suppl. Issue, 50, 1986.  |
| 6  | Kinetic Potentiometric Determination of Peroxidase in Plants using Fluoride-Selective Electrode. <b>H. Skaltsa</b> , M. Koupparis*, S. Philianos. J. Assoc. Anal. Chem., 1986, 69, 1006-1008.                                |
| 7  | Specific Differential Spectrophotometric Determination of Ascorbic Acid in Plants Using Ascorbate Oxidase. <b>H. Skaltsa</b> , O.Tzakou, M. Koupparis*, S. Philianos. Analytical Letters, 1987, 20(10), 1679-1691.           |
| 8  | Phytochemical Study of the leaves of <i>Ocimum sanctum</i> L.H. Skaltsa, M. Couladi, S. Philianos*, M. Singh.Fitoterapia, 1987, LVIII, 4, 286.   |
| 9  | Sur les constituants polyphénoliques des somnités fleuries de <i>Tilia tomentosa</i> Moench. O. Tzakou, <b>H. Skaltsa</b> , S. Philianos*. Plant. Méd. Phytothérapie, 1987, XXI, 4, 305-310.                                 |
| 10 | Analyse de l'huile essentielle d' <i>Ocimum sanctum</i> L. <b>H. Skaltsa</b> *, O.Tzakou, A. Loukis. Plant. Méd. Phytothérapie, 1988, XXII, 4, 280-282.  |
| 11 | Flavonoids from <i>Lippia citriodora</i> Kunth. <b>H. Skaltsa</b> *, G. Shammas. Planta Med., 1988, 5, 465.  |
| 12 | Analyse de l'huile essentielle d' <i>Ocimum sanctum</i> L.- II. <b>H. Skaltsa</b> *, O. Tzakou, A. Loukis, N. Argyriadou. Plantes médicinales et Phytothérapie, 1990, XXIV, 2, 79-81.  |
| 13 | Contribution à l'étude chimique et pharmacologique de <i>Phragmites communis</i> Trin. E. Tsitsa, <b>H. Skaltsa</b> , S. Philianos*, A. Delitheos. Annales Pharm. Françaises, 1990, 48, 4, 185-191.                          |
| 14 | On the Antibacteriophage Properties of some Greek Ferns. <b>H. Skaltsa</b> , E. Verykokidou*, M. Couladis, C. Harvala. Planta Medica, Vol. 57, Suppl. Issue 2, 1991, 35.   |
| 15 | Analysis of the Essential Oil of <i>Melittis melissophyllum</i> L.subsp. <i>albida</i> Guss. <b>H. Skaltsa</b> *, E.Tsitsa, O.Tzakou, N. Argyriadou. Journal of Essential Oil Research, 1991, 3, 367-368.                    |
| 16 | Study of the correlation between trace elements, sterols & fatty acids in brown algae from the Saronikos Gulf. G. Kanias*, <b>H. Skaltsa</b> , E. Tsitsa, A. Loukis, J. Bitis. Fresenius J. Anal. Chem., 1992, 344: 334-339. |
| 17 | Flavonoids from <i>Cardopanthus corymbosum</i> L. D. Lazaris, <b>H. Skaltsa</b> *, Th. Constantinidis, C.  |

|    |   |
|----|---|
|    | Harvala. <i>Scientia Pharmaceutica</i> , 1993, 61, 55-58.   |
| 18 | Flavonoids from <i>Satureja juliana</i> L. <b>H. Skaltsa*</b> , M. Couladis, O. Tzakou, C. Harvala. <i>Fitoterapia</i> , 1994, LXV, 1, 93.  |
| 19 | Comparative phytochemical study of two species of <i>Scabiosa</i> L. (Dipsacaceae). D. Perdetsoglou*, <b>H. Skaltsa</b> , O. Tzakou, C. Harvala. <i>Feddes Repertorium</i> , 1994, 105, 157-165.  |
| 20 | UV-B protective potential and flavonoid content of leaf hairs of <i>Quercus ilex</i> . <b>H. Skaltsa</b> , E. Verykokidou, C. Harvala, G. Karabourniotis*, Y. Manetas. <i>Phytochemistry</i> , 1994, 37, 4, 987-990.                                    |
| 21 | Antibacteriophage activity of some Greek plants extracts. E. Verykokidou*, <b>H. Skaltsa</b> , M. Couladis, A. Delitheos. <i>International Journal of Pharmacognosy</i> , 1995, 33, (4), 339-343.   |
| 22 | Flavonoids from <i>Scutellaria</i> sp. complex <i>albida</i> . <b>H. Skaltsa*</b> , D. Lazaris, A. Loukis, C. Harvala. <i>Scientia Pharmaceutica</i> , 1996, 64, 103-106.   |
| 23 | Flavonoids from <i>Achillea crithmifolia</i> Waldst & Kit. O. Tzakou*, <b>H. Skaltsa</b> , C. Harvala. <i>Scientia Pharmaceutica</i> , 1996, 64, 197-202.   |
| 24 | Essential Oil of <i>Sideritis raeseri</i> ssp. <i>raeseri</i> Boiss. & Heldr. E. M. Galati, M. P. Germano, A. Rossitto, O. Tzakou*, <b>H. Skaltsa</b> , V. Roussis. <i>JEOR</i> , 1996, 8, 303-304.   |
| 25 | Sesquiterpene lactones and elemene derivatives from <i>Onopordon myriacanthum</i> . B. Garcia, <b>H. Skaltsa</b> , F. Navarro, J.R. Pedro*, D. Lazari. <i>Phytochemistry</i> , 1996, 41, 4, 1113-1117.  |
| 26 | Chemical and Biological Studies on the Essential Oil of <i>Marrubium cyllellum</i> Boiss. & Heldr. <b>H. Skaltsa*</b> , D. Lazari, A. Loukis, D. Aslanis, E. Tiligada. <i>Pharmaceutical and Pharmacological Letters</i> , 1997, Vol. 7, no 4, 184-186. |
| 27 | Sesquiterpene lactones from <i>Onopordon laconicum</i> and <i>O. sibthorpiatum</i> . D. Lazari, B. Garcia, <b>H. Skaltsa</b> , J. R. Pedro* and C. Harvala. <i>Phytochemistry</i> , 1998, 47, 3, 415-422.   |
| 28 | Flavonoids of <i>Onopordon sibthorpiatum</i> and <i>O. laconicum</i> . D. Lazari, <b>H. Skaltsa*</b> , C. Harvala. <i>Biochemical Systematics and Ecology</i> , 1998, 26, 105-108.  |
| 29 | Composition of the Essential Oil of <i>Satureja juliana</i> (L.) Bentham ex Reichenb. from Greece. <b>H. Skaltsa*</b> , D. M. Lazari, Anargiros E. Loukis. <i>JEOR</i> , 1998, 10, 641-642.   |
| 30 | Antiphage properties of some Greek algae extracts. M. Couladis*, C. Vagias, V. Roussis, E. Verykokidou, and <b>H. Skaltsa</b> . <i>Phytomedicine</i> 1998, 5(6), 479-483.   |
| 31 | Composition of the Essential Oil of <i>Acinos alpinus</i> (L.) Moench. from Greece. <b>Helen D. Skaltsa*</b> , Diamanto M. Lazari, Anargiros E. Loukis. <i>JEOR</i> , 1999, 11, 35-37.  |
| 32 | Composition and Antibacterial Activity of the Essential Oils of <i>Stachys candida</i> and <i>S. chrysanthemum</i> from Southern Greece. <b>H. Skaltsa*</b> , D. Lazari, I. Chinou, A. Loukis. <i>Planta Medica</i> 1999, 65, 255-256.                  |
| 33 | Sesquiterpene Lactones from <i>Centaurea</i> Species: <i>C. thessala</i> subsp. <i>drakiensis</i> and <i>C. attica</i> subsp. <i>attica</i> . <b>H. Skaltsa*</b> , D. Lazari, E. Georgiadou, S. Kakavas, Th. Constantinidis. <i>Planta</i>              |

|    |   |
|----|---|
|    | Medica 1999, 65, 393.   |
| 34 | Essential Oils of <i>Marrubium velutinum</i> SM. and <i>Marrubium peregrinum</i> L., two Species Growing Wild in Greece. D. Lazari, <b>H. Skaltsa*</b> , Th. Constantinidis. FFJ, 1999, 14, 290-292.  |
| 35 | Volatile Constituents of <i>Centaurea raphanina</i> Sm. subsp. <i>mixta</i> (DC.) Runemark and <i>C. spruneri</i> Boiss. & Heldr. (Asteraceae), Growing Wild in Greece. D. Lazari, <b>H. Skaltsa*</b> , Th. Constantinidis. Flavour and Fragrance Journal, 1999, 14, 415-418.   |
| 36 | Polyphenols of <i>Ocimum sanctum</i> L. from Suriname. <b>H. Skaltsa*</b> , O. Tzakou and M. Singh. Pharmaceutical Biology, 1999, 37 (1), 92-94.  |
| 37 | Volatile Constituents of <i>Cerastium candidissimum</i> , a Greek endemic species. D. Lazari, <b>H. Skaltsa*</b> , Th. Constantinidis. FFJ, 2000, 15, 174-176.  |
| 38 | Composition of the Essential Oil of <i>Xeranthemum annuum</i> L. from Greece. <b>H. Skaltsa*</b> , D. Lazari, Th. Constantinidis JEOR, 2000, 12, 742-744.   |
| 39 | Composition of the Essential Oil of <i>Herniaria incana</i> Lam. from Greece. D. Lazari, <b>H. Skaltsa*</b> , Th. Constantinidis. JEOR, 2000, 12 (4), 435-437.  |
| 40 | Flavonoid compounds of <i>Lamyropsis cynaroides</i> (Lam.) Dittrich. <b>H. Skaltsa*</b> , D. Lazari, Th. Constantinidis. Biochemical Systematics and Ecology, 2000, 28, 809-811.  |
| 41 | Volatile constituents of <i>Centaurea pelia</i> DC., <i>C. thessala</i> Hausskn. subsp. <i>drakiensis</i> (Freyen & Sint.) Georg. and <i>C. zuccariniana</i> DC., from Greece. D. Lazari, <b>H. Skaltsa*</b> , Th. Constantinidis. Flavour and Fragrance Journal, 2000, 15, 7-11.   |
| 42 | Inhibition of prostaglandin E2 and leukotriene C4 in mouse peritoneal macrophages and thromboxane B2 production in human platelets by flavonoids from <i>Stachys chrysantha</i> and <i>Stachys candida</i> . <b>H. Skaltsa*</b> , P. Bermejo, D. Lazari, A Ma Silvan, A.- L. Skaltsounis, A. Sanz, Ma Jose Abad. Biological Pharmaceutical Bulletin, 2000, 23 (1), 47-53. |
| 43 | Essential oil analysis of <i>Nepeta argolica</i> Bory & Chaub subsp. <i>argolica</i> (Lamiaceae) growing wild in Greece. H. Skaltsa*, D. Lazari, Th. Constantinidis. FFJ, 2000, 15, 96-99.  |
| 44 | Sesquiterpene Lactones from <i>Centaurea achaia</i> , a greek endemic species. Antifungal activity. <b>H. Skaltsa*</b> , D. Lazari, B. Garcia, J. Pedro, M. Sokovic, Th. Constantinidis. Zeitschrift für Naturforschung C, 2000, 55c, 534-539.  |
| 45 | Composition and Antimicrobial Activity of the Essential Oil of <i>Scutellaria albida</i> ssp. <i>albida</i> from Greece. <b>H. Skaltsa*</b> , D. Lazari, A. Mavromati, E. Tiligada, Th. Constantinidis. Planta Medica, 2000, 66, 7, 672-674.  |
| 46 | Sesquiterpene lactones from <i>Centaurea thessala</i> Hausskn. ssp. <i>drakiensis</i> and <i>Centaurea attica</i> . Antifungal activity. <b>H. Skaltsa*</b> , D. Lazari, C. Panagouleas, E. Georgiadou, B. Garcia, M. Sokovic. Phytochemistry, 2000, 55, 903-908. Cit .31   |
| 47 | A chemotaxonomic investigation of volatile constituents in <i>Stachys</i> subsect. Swainsonianeae. <b>H. Skaltsa*</b> , A. Mavrommati, Th. Constantinidis. Phytochemistry, 2001, 57, 235-244.   |

|    |   |
|----|---|
| 48 | Secondary metabolites from the aerial parts of <i>Centaurea deusta</i> . Antifungal and antibacterial activities. A. Karioti, <b>H. Skaltsa*</b> , D. Lazari, M. Sokovic, B. Garcia, C. Harvala. Zeitschrift für Naturforschung C, 2002, 57c, 75-80.                                |
| 49 | Effects of the flavonoid pilloin isolated from <i>Marrubium cyllellum</i> Boiss. & Heldr. on mitogen-induced lymphocyte transformation. F. Michelis, E. Tiligada*, <b>H. Skaltsa</b> , D. Lazari, A-L. Skaltsounis, A. Delitheos. Pharmaceutical Biology, 2002, 40(4), 245-248.     |
| 50 | Antifungal activity of secondary metabolites of wild <i>Centaurea raphanina</i> subsp. <i>mixta</i> found in Greece. C. Panagouleas, <b>H. Skaltsa*</b> , D. Lazari, A.-L. Skaltsounis, M. Sokovic. Pharmaceutical Biology, 2003, 41(4), 266-270.                                   |
| 51 | Bioactive Sesquiterpene lactones from <i>Centaurea</i> species and their cytotoxic/cytostatic activity against human cell lines in vitro. E. Koukoulitsa, <b>H. Skaltsa*</b> , A. Karioti, C. Demetzos, K. Dimas. Planta Medica, 2002, 68, 649-652.                                 |
| 52 | Secondary metabolites from <i>Centaurea orphanidea</i> . Ch. Gousiadou, <b>H. Skaltsa*</b> Biochemical Systematics and Ecology, 2003, 31 (4), 389-396.  |
| 53 | Effect of Phosphorus Concentration of the Nutrient Solution on the Volatile Constituents of Leaves and Bracts of <i>Origanum dictamnus</i> . C. Economakis, <b>H. Skaltsa</b> , C. Demetzos*, M. Soković, C. Thanos. Journal of Agricultural & Food Chemistry, 2002, 50, 6278-6280. |
| 54 | Antimicrobial activity of acidic xylo-oligosaccharides produced by family 10 and 11 endoxylanases. P. Christakopoulos*, P. Katapodis, E. Kalogeris, D. Kekos, B. J. Macris, H. Stamatis, <b>H. Skaltsa</b> . Int. Journal of Biological Macromolecules, 2003, 31 (4-5), 171-175.    |
| 55 | Composition and Antibacterial activity of the Essential Oil of <i>Satureja parnassica</i> subsp. <i>parnassica</i> . O. Tzakou*, <b>H. Skaltsa</b> Planta Medica, 2003, 69, 282-284.  |
| 56 | Sesquiterpene lactones from the aerial parts of <i>Anthemis altissima</i> . In vitro anti-Helicobacter pylori activity. M. Konstantinopoulou, A. Karioti, S. Skaltsas, <b>H. Skaltsa*</b> Journal of Natural Products, 2003, 66 (5), 699-702.                                       |
| 57 | Antibacterial and Cytotoxic Activity of Prenylated Bicyclic Acylphloroglucinol Derivatives from <i>Hypericum amblycalyx</i> . K. Winkelmann, M. San, Z. Kyriatikis, <b>H. Skaltsa</b> , B. Bosilij, J. Heilmann* Zeitschrift für Naturforschung C, 2003, 58C, 527-532.              |
| 58 | Acylated flavonoid and phenylethanoid glycosides from <i>Marrubium velutinum</i> . A. Karioti, H. Skaltsa*, J. Heilmann, O. Sticher. Phytochemistry, 2003, 64, 655-660.   |
| 59 | Secondary metabolites from the aerial parts of <i>Stachys ionica</i> , a greek endemic species. A. Meremeti, A. Karioti, <b>H. Skaltsa*</b> , J. Heilmann, O. Sticher. BSE, 2004, 139-151.  |
| 60 | Essential oil analysis and antimicrobial activity of eight <i>Stachys</i> species from Greece. <b>H. Skaltsa*</b> , C. Demetzos, D. Lazari, M. Sokovic. Phytochemistry, 2003, 64, 743-752.  |
| 61 | Composition and Antibacterial activity of the Essential Oil of six <i>Stachys</i> species from Serbia. S. Grujic-Jovanovic, <b>H. Skaltsa*</b> , P. Marin, M. Sokovic. FFJ, 2004, 19, 139-144.  |

|    |  |
|----|--|
| 62 | In vitro Anti-Helicobacter pylori activity of Greek Herbal Medicines. G. Stamatis, P. Kyriazopoulos, S. Golegou, A. Basayiannis, S. Skaltsas, <b>H. Skaltsa*</b> Journal of Ethnopharmacology, 2003, 88, 175-179.  |
| 63 | Effect of Nitrogen Concentration of the Nutrient Solution on the Volatile Constituents of Leaves of <i>Salvia fruticosa</i> Mill. in solution culture. A. Karioti, <b>H. Skaltsa</b> , C. Demetzos*, D. Perditzoglou, C.D. Economakis, A.B. Salem. J. Agric. & Food Chem., 2003, 51, 6505-6508.  |
| 64 | Composition and antioxidant activity of the essential oils of <i>Xylopia aethiopica</i> (Dun) A. Rich. (Annonaceae) leaves, stem bark, root bark, fresh and dried fruits, growing wild in Ghana. A. Karioti, D. Hadjipavlou-Litina, M. Mensah, Th. Fleischer, <b>H. Skaltsa*</b> . J. Agric. Food Chem., 2004, 52(26), 8094-8098.  |
| 65 | Secondary Metabolites from <i>Marrubium velutinum</i> , Growing Wild in Greece. A. Karioti, J. Heilmann, <b>H. Skaltsa</b> . Zeitschrift für Naturforschung B, 2005, 60 (3): 328-332.  |
| 66 | In vitro inhibition of <i>Helicobacter pylori</i> by micromycetes. G. Stamatis, A. Rančić, M. Soković, J. Vukojević, P. Kyriazopoulos, S. Triantaphyllidis, S. Skaltsas, <b>H. Skaltsa*</b> . FEMS Immunology & Medical Microbiology, 2005, 45(1), 71-75.  |
| 67 | Biocatalytic preparation of acylated derivatives of flavonoid glucosides with antioxidant and antimicrobial activity. F. Mellou, D. Lazar, <b>H. Skaltsa</b> , A. Tselepis, F. N. Kolisis, H. Stamatis. J. of Biotechnology, 2005, 116 (3): 295-304.   |
| 68 | Labdane diterpenes from <i>Marrubium velutinum</i> and <i>Marrubium cyllellum</i> . A. Karioti, J. Heilmann, <b>H. Skaltsa*</b> . Phytochemistry, 2005, 66 (9): 1060-1066.   |
| 69 | Composition and Antimicrobial Activity of the Essential Oils of <i>Scutellaria sieberi</i> Benth. and <i>Scutellaria rupestris</i> Boiss. et Heldr. spp. <i>adenotricha</i> (Boiss. et Heldr.) Greuter et Burdet from Greece. <b>H. Skaltsa*</b> , D. Lazar, P. Kyriazopoulos, S. Golegou, S. Triantaphyllidis, M. Soković, Z. Kypriotakis. J.E.O.R., 2005, 17, 232-235. |
| 70 | The Effect of Solution Conductivity on Growth, Yield and Chemical Composition of <i>Origanum dictamnus</i> L. in Nutrient Film Culture. C. Economakis, A. Karioti, <b>H. Skaltsa*</b> , C. Demetzos *. J. Agric. Food Chem., 2005, 53 (5): 1656-1660.  |
| 71 | Composition and antioxidant activity of the essential oil of <i>Teucrium royleanum</i> Wall. ex Bth growing in Pakistan. Saroglou V, Arfan M, Shabir A, Hadjipavlou-Litina D., <b>Skaltsa H,*</b> Flavour and Fragrance Journal, 2007, 22, 154-7.  |
| 72 | Sesquiterpene Lactones from <i>Centaurea spinosa</i> and their antibacterial and cytotoxic activities. V. Saroglou, A. Karioti, C. Demetzos, K. Dimas, <b>H. Skaltsa*</b> J. Nat. Prod., 2005, 68 (9), 1404 - 1407.  |
| 73 | A simulation study of the interaction of sulfhydryl nucleophiles with several antifungal Ses. Lactones isolated from Greek <i>Centaurea</i> sp. C. Koukoulitsa*, G. Geromichalos, <b>H. Skaltsa</b> . J. Mol. Str. (THEOCHEM), 2006, 759, 215-224.   |

|    |   |
|----|---|
| 74 | VolSurf analysis of pharmacokinetic properties for several antifungal sesquiterpene lactones isolated from Greek <i>Centaurea</i> . C. Koukoulitsa*, G. Geromichalos, <b>H. Skaltsa</b> . Journal of Computer-Aided Molecular Design, 2005, 19, 617-623.  |
| 75 | Linear Sesquiterpene Lactones from <i>Anthemis auriculata</i> and their Antimicrobial Activity. R. Theodori, A. Karioti, A. Rančić, H. Skaltsa* J. Nat. Prod., 2006, 69 (4): 662-664.   |
| 76 | Evaluation of aldose reductase inhibition and docking studies of some secondary metabolites, isolated from <i>Origanum vulgare</i> L. ssp. <i>hirtum</i> . C. Koukoulitsa*, Ch. Zika, G. Geromichalos, V. Demopoulos and <b>H. Skaltsa</b> . Bioorg. Med. Chem., 2006, 14 (5), 1653-1656.                   |
| 77 | Isolation and structural elucidation of two secondary metabolites from the filamentous fungus <i>Penicillium ochrochloron</i> with antimicrobial activity. A. Rančić, M. Soković, A. Karioti, J. Vukojević, <b>H. Skaltsa*</b> Enviromental Toxicology & Pharmacology, 2006, 22, 80-84.                     |
| 78 | Analysis of the leaf Oil of <i>Syzygium malaccense</i> Merr. et Perry from Nigeria. A. Karioti, H. Skaltsa,* A. A. A. Gbolade. J.E.O.R., 2007, 19, 313-315.   |
| 79 | Novel Secoiridoid Glucosides in <i>Olea europaea</i> leaves Suffering from Boron Deficiency. A. Karioti, A. Chatzopoulou, A.R. Bilia, G. Liakopoulos, S. Stavrianakou, <b>H. Skaltsa*</b> . BBB, 2006, 70, 1898-1903.   |
| 80 | Inhibitory effect of polar oregano extracts on aldose reductase and soybean lypoxygenase in vitro. Koukoulitsa C., Zika Ch., Hadjipavlou-Litina D., Demopoulos V., <b>Skaltsa H*</b> . Phytotherapy Research, 2006, 20 (7), 605-606.  |
| 81 | Constituents of the Essential Oils of <i>Citrus reticulata</i> and <i>C. paradisi</i> from Nigeria. A. Karioti, A Gbolade, <b>H. Skaltsa*</b> . J.E.O.R., 2007, 19, 6, 520-522.   |
| 82 | Analysis of the essential oil of <i>Origanum dubium</i> Boiss., growing wild in Cyprus. Investigation of its antioxidant capacity and antimicrobial activity. A. Karioti, T. Vrahimi-Hadjilouca, D. Droushiotis, A. Rancic, D. Hadjipavlou-Litina, <b>H. Skaltsa*</b> . Planta Medica, 2006, 72: 1330-1334. |
| 83 | Essential oil analysis and antimicrobial activity of six <i>Hypericum</i> species from Serbia. V. Saroglou, P. Marin, A. Rančić, M. Veljić, <b>H. Skaltsa*</b> BSE, 35 (2007) 146-152.  |
| 84 | Composition and anti-microbiological activity of the essential oil of <i>Rosmarinus officinalis</i> L. (Lamiaceae) from Algeria. S. Djeddi, N. Bouchenah, I. Settar, <b>H. Skaltsa*</b> Nat. Prod. Compounds, 2007, 43, 4, 487-490.   |
| 85 | Essential Oils of Nigeria II: Analysis of the leaf Oil of <i>Securidaca longependuculata</i> Fers. M. Adebayo, A. Karioti, <b>H. Skaltsa*</b> J.E.O.R., 2007, 19, 452-454.  |
| 86 | Polar constituents from the aerial parts of <i>O. vulgare</i> L. ssp. <i>hirtum</i> , growing wild in Greece.Catherine Koukoulitsa, A. Karioti, M. C. Bergonzi, G. Pescitelli, L. Di Bari, <b>H. Skaltsa*</b> . Journal of Agricultural & Food Chemistry, 2006, 54, 5388-5392.                              |
| 87 | Analysis of the essential oil composition of eight <i>Anthemis</i> species from Greece. Saroglou, V;  |

|     |  |
|-----|--|
|     | Dorizas, N; Kypriotakis, Z; <b>Skaltsa, H.</b> J. Chromatography, 2006, 1104, 313-322.   |
| 88  | Inhibitory effect on soybean lipoxygenase and docking studies of some secondary metabolites, isolated from <i>Origanum vulgare</i> L. ssp. <i>hirtum</i> . C. Koukoulitsa*, D. Hadjipavlou-Litina, G. Geromichalos, <b>H. Skaltsa</b> . J. Enzyme Inhibition and Medicinal Chemistry, 2007, 22(1): 99–104. |
| 89  | Flavonoids as chemotaxonomic markers in the polymorphic <i>Stachys swainsonii</i> (Lamiaceae). <b>H. Skaltsa*</b> , P. Georgakopoulos, D. Lazari, A. Karioti, J. Heilmann, O. Sticher, Th. Constantinidis. BSE, 2007, 35, 317-320.   |
| 90  | Sesquiterpene Lactones from <i>Anthemis melanolepis</i> . Vasiliki Saroglou, A. Karioti, J. Heilmann, Z. Kypriotakis, <b>H. Skaltsa*</b> . Helv. Chim. Acta, 2007, 90, 171-175.  |
| 91  | Identification of tyrosinase inhibitors from <i>Marrubium velutinum</i> and <i>Marrubium cyllellum</i> . A. Karioti, A. Protopappa, N. Megoulas, <b>H. Skaltsa*</b> BMC, 2007, 15, 2708–2714.  |
| 92  | Phenolic compounds with antioxidant activity from <i>Anthemis tinctoria</i> L. subsp. <i>tinctoria</i> var. <i>pallida</i> DC. (Asteraceae). P. Papaioannou, D. Lazari*, A. Karioti, C. Souleles, J. Heilmann, D. Hadjipavlou-Litina, <b>H. Skaltsa*</b> Z. Naturforsch. C, 2007, 62c, 326-330.            |
| 93  | Antioxidant and Anti-Inflammatory Activities of <i>Sideritis perfoliata</i> subsp. <i>perfoliata</i> (Lamiaceae). M. Charami, D. Lazari*, A. Karioti, <b>H. Skaltsa</b> , D. Hadjipavlou-Litina, Ch. Souleles. Phytotherapy Research, 2008, 22, 450-454.   |
| 94  | Cytotoxicity and immunomodulating characteristics of labdane diterpenes from <i>Marrubium cyllellum</i> and <i>Marrubium velutinum</i> . A. Karioti,* M. Skopeliti, O. Tsitsilonis, J. Heilmann, <b>H. Skaltsa*</b> . Phytochemistry, 2007, 68, 1587–1594.   |
| 95  | Iridoids from <i>Scutellaria albida</i> ssp. <i>albida</i> . Ch. Gousiadou, A. Karioti, J. Heilmann, <b>H. Skaltsa*</b> . Phytochemistry, 2007, 68, 1799–1804.   |
| 96  | Essential oil analysis of two endemic <i>Eryngium</i> species from Serbia. C. Capetanos, V. Saroglou, P. D. Marin, A. Simić, <b>H. D. Skaltsa*</b> J. Serb. Chem. Soc., 2007, 72 (10), 961–965.  |
| 97  | Chemical and principal component analyses of the essential oils of twenty-three Apioideae taxa (Apiaceae) from Central Balkan. C. Kapetanos, A. Karioti, S. Bojović, P.D. Marin, M. Veljić, <b>H. Skaltsa*</b> Chemistry & Biodiversity, 2008, 5, 101-119.   |
| 98  | Auricularin, a novel sesquiterpene lactone from <i>Anthemis auriculata</i> . A. Karioti*, <b>H. Skaltsa</b> , A. Linden, M. Kaiser, D.Tasdemir* J.O.C., 2007; 72(21); 8103-8106  |
| 99  | Minor Sesquiterpene Lactones from <i>Centaurea pullata</i> and Their Antimicrobial Activity. S. Djeddi, A. Karioti, M. Sokovic, D. Stojkovic, R. Seridi, <b>H. Skaltsa*</b> J. Nat. Prod. 2007, 70, 1796–1799.   |
| 100 | Occurrence of flavonoids in <i>Ophrys</i> (Orchidaceae) flower parts. A. Karioti, Ch.Kitsaki, S. Zygouraki, M. Ziobora, S. Djeddi, <b>H. Skaltsa</b> , G. Liakopoulos* Flora, 2008, 203 (7), 602-609.  |
| 101 | Essential oil constituents of <i>Klainedoxa gabonensis</i> Pierre Ex Engl (Irvingiaceae), <i>Brachystegia</i>  |

|     |   |
|-----|---|
|     | <i>nigerica</i> Hoyle & A. Jones (Caesalpinoideae) and <i>Acalypha segetalis</i> Muell Arg. (Euphorbiaceae). I. A. Ogunwande*, E. E. Essien, A. O. Ogunbinu, A. Karioti, V. Saroglou, <b>H. Skaltsa</b> and M. A. Adebayo. JEOR, 2008, 20, 3, 211-215.  |
| 102 | Constituents of some essential oil-bearing plants from Nigeria. I. A. Ogunwande*, V. Saroglou, E. Skaltsa, A. O. Ogunbinu and D. Kubmawara. Journal of Essential Oil Research, 2009, 21, 61-66.   |
| 103 | Antimicrobial Activity of Essential Oils of <i>Xylopia aethiopica</i> . TC Fleischer*, MLK Mensah, AY Mensah, G Komlaga, SY Gbedema, H Skaltsa. 2008, African Journal of Traditional, Complementary and Alternative Medicines, 5 (4), 391-393.  |
| 104 | Secondary metabolites from <i>Centaurea grisebachii</i> ssp. <i>grisebachii</i> S. Djeddi, C. Argyropoulou, <b>H. Skaltsa*</b> BSE, 2008, 36, 336-339.  |
| 105 | A novel sesquiterpene lactone from <i>Centaurea pullata</i> : structure elucidation, antimicrobial activity, and prediction of pharmacokinetic properties. S. Djeddi, A. Karioti, M. Sokovic, C. Koukoulitsa, and <b>H. Skaltsa*</b> . Bioorganic & Medicinal Chemistry, 2008, 3725–3731.                                 |
| 106 | Inhibiting Enoyl-ACP Reductase (FabI) Across Pathogenic Microorganisms by Linear Sesquiterpene Lactones from <i>Anthemis auriculata</i> . Phytomedicine, A. Karioti, <b>H. Skaltsa</b> , X. Zhang, P. Tonge, R. Perozzo, M. Kaiser, S. Franzblau, D. Tasdemir*. 2008, 15 (12), 1125-1129.                                 |
| 107 | Effects of terpenoids from <i>Salvia willeana</i> in delayed-type hypersensitivity, human lymphocyte proliferation and cytokine production. Vonaparti A, Karioti A, Recio MC, Máñez S, Ríos JL , <b>Skaltsa H.</b> and Giner RM* Natural Products Communications, 2008, 12, (3), 1953-1958.                               |
| 108 | Trypanocidal, leishmanicidal and cytotoxic effects of antheerotulide-type linear sesquiterpene lactones from <i>Anthemis auriculata</i> Karioti, A., <b>Skaltsa, H.</b> , Kaiser, M., Tasdemir, D*. 2009. Phytomedicine 16 (2009) 783–787.  |
| 109 | Proanthocyanidin glycosides from the leaves of <i>Quercus ilex</i> L. (Fagaceae). A. Karioti *, A. R. Bilia, Ch. Gabbiani, L. Messori, <b>H. Skaltsa</b> . Tetrahedron Letters, 2009, 50 (16), 1771-1776.   |
| 110 | Labdane diterpenes from <i>Marrubium thessalum</i> . C.Argyropoulou, A. Karioti, <b>H. Skaltsa*</b> Phytochemistry, 2009, 70, 635-640.  |
| 111 | Sesquiterpene Lactones from <i>Anthemis melanolepis</i> and their Antibacterial and Cytotoxic Activities. Prediction of their Pharmacokinetic Profile. Saroglou, Vasiliki; Karioti, Anastasia; Rancik, Ana; Dimas, Kostas; Koukoulitsa, Catherine; Zervou, Maria; <b>Skaltsa, Helen*</b> J. Nat. Prod. 2010, 73, 242-246. |
| 112 | <i>Quercus ilex</i> L.: A rich source of polyacylated flavonoid glucosides. A. Karioti, A. R. Bilia, <b>H. Skaltsa*</b> . Food Chemistry, 2010, 123 (1), 131-142..  |
| 113 | Depsides and Other Polar Constituents from <i>Origanum dictamnus</i> L. and Their in Vitro Antimicrobial Activity in Clinical Strains. A. Chatzopoulou, A. Karioti, C. Gousiadou, V. Lax Vivancos, P. Kyriazopoulos, S. Golegou, <b>H. Skaltsa*</b> . JAFC, 2010, 58, 6064–6068.  |

|     |   |
|-----|---|
| 114 | Dittany of Crete: A botanical and ethnopharmacological review Christos C. Liolios, Konstantia Graikou, <b>Eleni Skaltsa</b> and Ioanna Chinou. Journal of Ethnopharmacology, 2010, Article in Press.                                  |
| 115 | Antimicrobial activity of secondary metabolites isolated from <i>Centaurea spruneri</i> Boiss. & Heldr. A. Cacic, A. Karioti, J. Glamoclija, M. Sokovic, H. Skaltsa* Journal of the Serbian Chemical Society, 2010, Article in Press. |
| 116 | Identification of essential oil components of <i>Marrubium thessalum</i> Boiss. & Heldr., growing wild in Greece. Catherine Argyropoulou and <b>Helen Skaltsa*</b> NPC, 2010, accepted.   |

#### INTERNATIONAL CONGRESSES

|   |   |
|---|---|
| 1 | Analysis of the Essential Oil of Greek Sweet Basil<br>H. Skaltsa, A. Loukis.<br>34 <sup>th</sup> Annual Congress on Med. Plant Research, Hamburg, 1986, Sept. 22-27.  |
| 2 | Search for antibacteriophage properties of <i>Tilia tomentosa</i> Moench.<br>H. Skaltsa, O. Tzakou, A. Delitheos, S. Philianos.<br>6ème Colloque International pour les Plantes médicinales et les Substances d'origine naturelle, Angers, juin, 1988.                      |
| 3 | Analysis of the Essential Oil of <i>Melittis melissophyllum</i> L. subsp. <i>albida</i> Guss.<br>H. Skaltsa, E. Tsitsa, O. Tzakou, N. Argyriadou.<br>37 <sup>th</sup> Annual Congress on Med. Plant Research, Braunschweig, 1989, Sept. 5-9.                                |
| 4 | Comparative Phytochemical and Pharmacological Study of Eight Brown Algae from the Saronic Gulf (Greece).<br>G. Kanas, H. Skaltsa, E. Tsitsa, A. Loukis, J. Bitis.<br>39 <sup>th</sup> Annual Congress on Med. Plant Research, Saarbrücken, 1991, Sept.3-7.                  |
| 5 | On the Antibacteriophage Properties of some Greek Ferns<br>H. Skaltsa, E. Verykokidou, M. Couladis, C. Harvala.<br>39 <sup>th</sup> Annual Congress on Med. Plant Research, Saarbrücken, 1991, Sept.3-7.  |
| 6 | Chemical and biological studies on the essential oil of <i>Marrubium cyllellum</i> Boiss. & Heldr.<br>H. Skaltsa, D. Lazari, A. Loukis, D. Aslanis, E. Tiligada<br>45 <sup>th</sup> Annual Congress of the Society for Medicinal Plant Research, Regensburg September 1997. |
| 7 | Flavonoids from the aerial parts of <i>Marrubium cyllellum</i> Boiss. & Heldr.<br>H. Skaltsa, D. Lazari, A.-L. Skaltsounis and E. Tiligada<br>45 <sup>th</sup> Annual Congress of the Society for Medicinal Plant Research, Regensburg, September 1997                      |

|    |   |
|----|---|
| 8  | Composition and Antibacterial Activity of the Essential oils of <i>Stachys candida</i> and <i>S. chrysanthia</i> Growing in South Greece.<br><br>Helen D. Skaltsa, Diamanto M. Lazari, Ioanna B. Chinou, Anargyros E. Loukis<br><br>46 <sup>th</sup> Annual Congress of the Society for Med. Plant Research, Vienna 1998.   |
| 9  | Inhibition of Macrophage and Platelet Eicosanoid Release induced by Methanol Extracts and some Flavonoids from two endemic Greek <i>Stachys</i> sp.<br><br>Helen Skaltsa, Paulina Bermejo, Diamanto Lazari, Ana M <sup>a</sup> Silvan, Alexios-Leandros Skaltsounis, Aurora Sanz, M <sup>a</sup> José Abad<br><br>XIX <sup>th</sup> International Conference on Polyphenols. Lille- France Sept. 1-4, 1998. |
| 10 | A novel germacranolide from <i>Centaurea achaia</i> .<br><br>Helen Skaltsa, Diamanto Lazari, Begoña Garcia, José R. Pedro<br><br>47 <sup>th</sup> Annual Congress of the Society for Medicinal Plant Research, Amsterdam 24-30 July, 1999.  |
| 11 | Sesquiterpene lactones from <i>Centaurea thessala</i> Hausskn. ssp. <i>drakiensis</i> (Freyn & Sint.) Georg.<br><br>Evanthia Georgiadou, Helen Skaltsa, Diamanto Lazari, Catherine Harvala<br><br>47 <sup>th</sup> Annual Congress of the Society for Medicinal Plant Research, Amsterdam 24-30 July, 1999.   |
| 12 | Secondary metabolites from the aerial parts of <i>Centaurea deusta</i> . Antifungal activity.<br><br>Anastasia Karioti, Helen Skaltsa, Diamanto Lazari, Marina Sokovic, Begoña Garcia, Theophanis Constantinidis.<br><br>International Congress and 48 <sup>th</sup> Annual Congress of the Society for Medicinal Plants Research, Zurich, September 4-7, 2000.   |
| 13 | Antimicrobial Activity of the Essential Oils of the Six <i>Stachys</i> Taxa Belonging to the Sectio Swainsoniana, Growing Wild in Greece.<br><br>H. Skaltsa, A. Mavrommati, D. Lazari, E. Tiligada, Th. Constantinidis.<br><br>48 <sup>th</sup> Annual Congress of the Society for Medicinal Plant Research, Zurich, September 4-7, 2000.   |
| 14 | Sesquiterpene lactones from the aerial parts of <i>Centaurea zucchiniana</i> and their cytotoxic/cytostatic activity against human cell lines <i>in vitro</i> .<br><br>Ekaterini Koukoulitsa, Anastasia Karioti, Kostas Dimas, Costas Demetzos, Helen Skaltsa<br><br>49 <sup>th</sup> Annual Congress of the Society for Medicinal Plant Research, Erlangen, September 2-6, 2001.                           |
| 15 | Secondary metabolites from the aerial parts of <i>Stachys ionica</i> , a greek endemic species. A. Meremeti, A. Karioti, H. Skaltsa, J. Heilmann, O. Sticher<br><br>49 <sup>th</sup> Annual Congress of the Society for Medicinal Plant Research, Erlangen, Sept. 2-6, 2001.  |

|     |  |
|-----|--|
| 16  | Predizione di proprietà farmacocinetiche di sesquiterpeni lattoni isolati da diverse specie della pianta <i>Centaurea</i> .<br><br>E. Koukoulitsa, H. Skaltsa, C. Demetzos, G. Cruciani<br><br>Società Chimica Italiana, Sezione Marche, Tuma 2002. XXI Convegno Interregionale. Sezioni Toscana, Umbria, Marche, Ambruzzi. Urbino 15-17 Luglio 2002.  |
| 17  | Sesquiterpene lactones from the aerial parts of <i>Anthemis altissima</i> . <i>In vitro</i> anti- <i>Helicobacter pylori</i> activity.<br><br>M. Konstantinopoulou, A. Karioti, S. Skaltsas, H. Skaltsa<br><br>50 <sup>th</sup> Annual Congress of the Society for Medicinal Plant Research, Barcelona, September 8-12, 2002.  |
| 18. | Sesquiterpene lactones from the aerial parts of <i>Centaurea spinosa</i> and their cytotoxic/cytostatic activity against human cell lines <i>in vitro</i> .<br><br>V. Saroglou, A. Karioti, K. Dimas, C. Demetzos, H. Skaltsa<br><br>50 <sup>th</sup> Annual Congress of the Society for Medicinal Plant Research, Barcelona, September 8-12, 2002.  |
| 19. | Acylated flavonoid glycosides from <i>Marrubium velutinum</i><br><br>A. Karioti, J. Heilmann, H. Skaltsa, O. Sticher<br><br>50 <sup>th</sup> Annual Congress of the Society for Medicinal Plant Research, Barcelona, September 8-12, 2002.   |
| 20. | Bio-transformed flavonoids and their antimicrobial activity<br><br>F. Mellou, H. Stamatis, F.N. Kolisis, D. Lazari, H. Skaltsa<br><br>50 <sup>th</sup> Annual Congress of the Society for Medicinal Plant Research, Barcelona, September 8-12, 2002.   |
| 21. | Enzymatic modification of natural antioxidants<br><br>F. Mellou, A. Kontogianni, D. Lazari, H. Skaltsa, H. Stamatis and F. N. Kolisis<br><br>2nd Congress of the European Federation for the Science and Technology of Lipids, November 6-8, 2002, Strasbourg, France.<br><br>25 <sup>th</sup> Anniversary years of the Chemistry Department of the University of Ioannina, 5 <sup>th</sup> Conference “Basic and applied chemical research”, October 22-24, 2002, Ioannina, Greece. |
| 22. | New prenylated acylphloroglucinol derivatives from <i>Hypericum amblycalyx</i><br><br>Winkelmann, K., San, M., Kypriotakis, Z., Skaltsa, H., Heilmann, J.<br><br>2 <sup>nd</sup> Conference on Medicinal and Aromatic Plants of South-East European Countries, September 29- October 3, 2002, Chalkidiki, Greece.  |
| 23. | Phenylethanoid glycosides from <i>Marrubium velutinum</i><br><br>Karioti A., Skaltsa H., Heilmann J., Sticher O.<br><br>2 <sup>nd</sup> Conference on Medicinal and Aromatic Plants of South-East European Countries,  |

|     |  |
|-----|--|
|     | September 29- October 3, 2002, Chalkidiki, Greece.   |
| 24. | <p><i>In vitro</i> Anti-<i>Helicobacter pylori</i> activity of Greek Herbal Medicines.</p> <p>George Stamatis, Panayiotis Kyriazopoulos, Stamatina Golegou, Spyros Skaltsas, Helen Skaltsa</p> <p>2<sup>nd</sup> Conference on Medicinal and Aromatic Plants of South-East European Countries, September 29 – October 3, 2002, Chalkidiki, Greece.</p>                                   |
| 25. | <p>Essential oil analysis of nine <i>Stachys</i> species from Greece</p> <p>Helen D. Skaltsa, Marina Sokovic, Costas Demetzos, Diamanto Lazari</p> <p>2<sup>nd</sup> Conference on Medicinal and Aromatic Plants of South-East European Countries, September 29 - October 3, 2002, Chalkidiki, Greece.</p>   |
| 26. | <p>Fungicide properties and chemical composition of aqueous rinses of the leaves of <i>Dittrichia viscosa</i></p> <p>13th Congress of the Federation of European Societies of Plant Physiology (FESPP) Crete, Greece, September 2002.</p> <p>Stavrianakou, S., Liakoura, V., Karioti, A., Skaltsa, H. and Karabourniotis, G.A.</p>   |
| 27. | <p>Onopordopicrin and cnicin – two sesquiterpene lactones with platelet antiaggregatory activity.</p> <p>Diamanto L., Giotopoulou S., Dokou ., Vartholomatos G., Skaltsa H.</p> <p>8<sup>th</sup> Annual Congress of the European Hematology Association, 12-15 June 2003, Lyon, France.</p>   |
| 28. | <p>Flow cytometric analysis of the effect of two sesquiterpene lactones on platelet activation</p> <p>Lazari D., Giotopoulou S., Dokou E., Skaltsa H., Vartholomatos G.</p> <p>8<sup>th</sup> Annual Congress of the European Hematology Association, 12-15 June 2003, Lyon, France.</p>   |
| 29. | <p>Biocatalytic methods for the preparation of lipophilic derivatives of glycosylated flavonoids with antioxidant activity.</p> <p>F. Mellou, D. Lazari, H. Skaltsa, A. Tselepis, F.N. Kolisis, H. Stamatis</p> <p>International Conference on Oxidative Stress in Skin Biology and Medicine, 18-21 September 2003, Athens, Greece.</p>  |
| 30. | <p>A preliminary study on the antioxidant and anti-inflammatory activity of <i>Sideritis perfoliata</i> subsp. <i>perfoliata</i></p> <p>Charami Maria-Thiresia, Lazari Diamanto, Souleles Christos, Hadjipavlou Dimitra, Karioti Anastasia, Skaltsa Helen</p> <p>International Congress on Natural Products Research, ICNPR – 2004, July 31 – August 4, 2004, Phoenix, Arizona, USA.</p> |
| 31. | <p>Molecular modeling studies of phenolic acids, isolated from <i>Origanum vulgare</i> L. ssp. <i>hirtum</i>, as inhibitors of soybean lipoxygenase.</p> <p>Catherine Koukoulitsa, Helen Skaltsa, D. Chatjipavlou-Litina, Gabriele Cruciani</p> <p>Συνέδριο Χημείας Αθήνα, 2004.</p>   |

|     |  |
|-----|--|
| 32. | Cytotoxic labdane diterpenes from <i>Marrubium velutinum</i> and <i>Marrubium cyllellum</i><br>A. Karioti, J. Heilmann, M. Skopeliti, O. Tsitsilonis, H. Skaltsa<br>53rd Annual Congress of the Society for Medicinal Plant Research (GA), Joint Congress with SIF Florence, Italy, August 21st-25th, 2005.  |
| 33. | Tyrosinase Inhibitory Activity of Flavonoids, Phenylethanoid glycosides and phenolic acids from <i>Marrubium velutinum</i> and <i>M. cyllellum</i> .<br>A. Karioti, N. Protopappa, H. Skaltsa<br>53rd Annual Congress of the Society for Medicinal Plant Research (GA), Joint Congress with SIF Florence, Italy, August 21st-25th, 2005.   |
| 34. | Secoiridoid glucosides from leaves of boron deficient olive plants<br>A. Karioti, A. Chatzopoulou, A. R. Bilia, G. Liakopoulos, S. Stavrianakou, H. Skaltsa<br>53rd Annual Congress of the Society for Medicinal Plant Research (GA), Joint Congress with SIF Florence, Italy, August 21st-25th, 2005.   |
| 35. | Secondary metabolites from insect infected leaves of <i>Quercus ilex</i> L. (Fagaceae)<br>A. Karioti <sup>a</sup> , G. Karabourniotis <sup>b</sup> , A. Loukis <sup>a</sup> , H. Skaltsa <sup>a</sup><br>53rd Annual Congress of the Society for Medicinal Plant Research (GA), Joint Congress with SIF Florence, Italy, August 21st-25th, 2005.   |
| 36. | Polar constituents from the aerial parts of <i>Origanum vulgare</i> L. ssp. <i>hirtum</i> , growing wild in Greece and their characterization using the VolSurf procedure. Inhibitory effect on mushroom tyrosinase.<br>C. Koukoulitsa, A. Karioti, M. C. Bergonzi, L. di Bari, G. Geromichalos, H. Skaltsa<br>53rd Annual Congress of the Society for Medicinal Plant Research (GA), Joint Congress with SIF Florence, Italy, August 21st-25th, 2005. |
| 37. | Secondary metabolites from the aerial parts of <i>Anthemis auriculata</i> (Asteraceae) and their antimicrobial activity<br>R. Theodori, A. Karioti, A. Rančić, H. Skaltsa<br>53rd Annual Congress of the Society for Medicinal Plant Research (GA), Joint Congress with SIF Florence, Italy, August 21st-25th, 2005.   |
| 38. | Iridoids from <i>Scutellaria albida</i> ssp. <i>albida</i> and their cytotoxic and antimicrobial activities<br>C. Gousiadou, A. Karioti, A. Rancic, M. Skopeliti, O. Tsitsilonis, H. Skaltsa<br>53rd Annual Congress of the Society for Medicinal Plant Research (GA), Joint Congress with SIF Florence, Italy, August 21st-25th, 2005.  |
| 39. | A preliminary study on the antioxidant and anti-inflammatory activity of <i>Anthemis tinctoria</i> L. subsp. <i>tinctoria</i> var. <i>pallida</i> DC. (Asteraceae)<br>P. Paraskevi, D. Lazari, C. Souleles, D. Hadjipavlou, A. Karioti, H. Skaltsa<br>53rd Annual Congress of the Society for Medicinal Plant Research (GA), Joint Congress with   |

|     |   |
|-----|---|
|     | SIF Florence, Italy, August 21st-25th, 2005.  |
| 39. | Novel cytotoxic labdane diterpenes from <i>Marrubium cyllellum</i><br>A. Karioti, M. Skopeliti, J. Heilmann, O. Tsitsilonis, H. Skaltsa<br>GA 2006 - International Congress and 54th Annual Meeting of the Society for Medicinal Plant Research. August 29 - September 2, 2006, Helsinki, Finland.  |
| 40  | Low Molecular Weight Polyphenols in insect infected leaves of <i>Quercus ilex</i> L. (Fagaceae)<br>A. Karioti, G. Karabourniotis, A.R.Bilia, H. Skaltsa<br>GA 2006 - International Congress and 54th Annual Meeting of the Society for Medicinal Plant Research. August 29 - September 2, 2006, Helsinki, Finland.  |
| 41  | Soyabean Lipoxygenase Inhibitory Activity of Flavonoids, Phenylethanoid glycosides and phenolic acids from <i>Marrubium velutinum</i> and <i>M. cyllellum</i> .<br>A. Karioti, D. Hadjipavlou-Litina, H. Skaltsa<br>GA 2006 - International Congress and 54th Annual Meeting of the Society for Medicinal Plant Research. August 29 - September 2, 2006, Helsinki, Finland. |
| 42  | Volatile Oil Constituents of some Nigerian Medicinal Plants.<br>Ogunwande Isaka Ajani, Adebayo M. A., Akinola O.O., Essien E., Karioti A. Saroglou V., Skaltsa E. International Conference on Biodiversity and Natural Products July 23-28, 2006, Kyoto, Japan.   |
| 43  | A novel dimeric proanthocyanidin 3- <i>O</i> -glucoside from <i>Quercus ilex</i> L. (Fagaceae)<br>Karioti A, Bilia AR, Skaltsa H. 55th International Congress & Annual Meeting of the Society for Medicinal Plant Research. Graz, September 2-6, 2007. Austria.   |
| 44  | Secondary metabolites from the pericarps of <i>Juglans regia</i><br>Kavroulaki E, Karioti A, Bilia AR, Skaltsa H. 55th International Congress & Annual Meeting of the Society for Medicinal Plant Research. Graz, September 2-6, 2007. Austria.   |
| 45  | Antimicrobial activity of sesquiterpene lactones from <i>Centaurea pullata</i> L., growing wild in Algeria. Djeddi S, Karioti A, Sokovic M, Stojkovic D, Skaltsa H<br>55th International Congress & Annual Meeting of the Society for Medicinal Plant Research. Graz, September 2-6, 2007. Austria.   |
| 46  | Sesquiterpene lactones of <i>Centaurea grisebachii</i> (Nyman) Heldr. ssp. <i>grisebachii</i> from Greece.<br>Djeddi S, Karioti A, Skaltsa H<br>55th International Congress & Annual Meeting of the Society for Medicinal Plant Research. Graz, September 2-6, 2007. Austria.   |
| 47  | Phytochemical investigation of the endemic species <i>Marrubium thessalum</i> Boiss. & Heldr.<br>Argyropoulou C, Karioti A, Skaltsa H.<br>55th International Congress & Annual Meeting of the Society for Medicinal Plant Research. Graz, September 2-6, 2007. Austria.   |

|    |  |
|----|--|
| 48 | Iridoids from <i>Scutellaria albida</i> ssp. <i>albida</i><br>Gousiadou C, Karioti A, Heilmann J and Skaltsa H<br>55th International Congress & Annual Meeting of the Society for Medicinal Plant Research.<br>Graz, September 2-6, 2007. Austria.   |
| 49 | Inhibiting Enoyl-ACP Reductase (FabI) Across Pathogenic Microorganisms by Linear Sesquiterpene Lactones from <i>Anthemis auriculata</i><br>55th International Congress & Annual Meeting of the Society for Medicinal Plant Research.<br>Graz, September 2-6, 2007. Austria.  |
| 50 | Chemical composition of the essential oil of the Greek endemic species <i>Marrubium thessalum</i> (Lamiaceae). Argyropoulou C, Karioti A, Skaltsa H. 7th Natural Products Joint meeting, Athens, 3-8 August, 2008.   |
| 51 | Effects of pH and temperature on the stability of sesquiterpene lactones. Saroglou V, Demetzos C, Skaltsa H. 7th Natural Products Joint meeting, Athens, 3-8 August, 2008.   |
| 52 | Antimicrobial activity of <i>Santolina chamaecyparissus</i> L. volatile oil. Djeddi S, Djebil K, Hadjoureaga G, Achour Z, Argyropoulou C, Skaltsa H. 7th Natural Products Joint meeting, Athens, 3-8 August, 2008.   |
| 53 | Phenolic variatons in mite infected leaves of <i>Quercus ilex</i> L. (Fagaceae). Karioti A, Tooulakou G, Karabourniotis G, Bilia AR, Skaltsa H. 7th Natural Products Joint meeting, Athens, 3-8 August, 2008.  |
| 54 | Secondary metabolites from the pericarps of <i>Juglans regia</i> L. (Junglandaceae). Kavroulaki E, Karioti A, Bilia AR, Skaltsa H. 7th Natural Products Joint meeting, Athens, 3-8 August, 2008.   |
| 55 | Flavonoids of <i>Retama raetam</i> Webb. from Algeria. Djeddi S, Karioti A, Skaltsa H. 7th Natural Products Joint meeting, Athens, 3-8 August, 2008.   |
| 56 | Labdane diterpenes and phenylethanoid glycosides from the Greek endemic species <i>Marrubium thessalum</i> (Lamiaceae). Argyropoulou C, Karioti A, Skaltsa H. 7th Natural Products Joint meeting, Athens, 3-8 August, 2008.  |
| 57 | A new sesquiterpene lactone from the aerial parts of <i>Anthemis melanolepis</i> L. Saroglou V, Karioti A, Skaltsa H. 7th Natural Products Joint meeting, Athens, 3-8 August, 2008.  |
| 58 | Analgesic activity of secondary metabolites from two <i>Centaurea</i> species. Djeddi S, Chatter R, Karioti A, Argyropoulou, Kharrat R, Skaltsa H. 7th Natural Products Joint meeting, Athens, 3-8 August, 2008.   |
| 59 | Trypanocidal, Leishmanicidal and Cytotoxic Effects of Anthecotulide Type Linear Sesquiterpene Lactones from <i>Anthemis auriculata</i> . Karioti A, Skaltsa H, Keiser M, R, Tasdemir D. 57th International Congress & Annual Meeting of the Society for Medicinal Plant Research, Geneva, Switzerland, August 16-20, 2009. |
| 60 | <i>Quercus ilex</i> L.: a rich source of polyacylated flavonoid glucosides. Karioti A, Bilia AR,   |

|    |  |
|----|--|
|    | Skaltsa H. 57th International Congress & Annual Meeting of the Society for Medicinal Plant Research, Geneva, Switzerland, August 16-20, 2009.  |
| 61 | Guaianolides from <i>Crepis dioscoridis</i> L. Tsoukalas M., Argyropoulou C., Skaltsa H. 58th International Congress & Annual Meeting of the Society for Medicinal Plant Research, Berlin, Germany, August 29- Sept. 1, 2010.  |
| 62 | Essential oil of <i>Centaurea pannonica</i> (Heufel) Simonkai and antioxidant activity of the methanol extract. Milošević T, Argyropoulou C, Mihailović V , Stanković M , Solujić S, Skaltsa H. 58th International Congress & Annual Meeting of the Society for Medicinal Plant Research, Berlin, Germany, August 29- Sept. 1, 2010. |
| 63 | Two novel phloroglucinols from <i>Hypericum empetrifolium</i> with antiproliferative activity on endothelial cells. Schmidt S, Skaltsa H, Jürgenliemk G, Heilmann J. 58th International Congress & Annual Meeting of the Society for Medicinal Plant Research, Berlin, Germany, August 29- Sept. 1, 2010.                            |

#### **PUBLICATIONS CONCERNING THE HISTORY OF PHARMACY**

|   |   |
|---|---|
| 1 | Le Codex manuscrit du Laboratoire de Pharmacognosie de l'Université d'Athènes-1ère unité.<br>S. Philianos, H. Skaltsa<br>29th International Congress for the History of Pharmacy, Athens, April, 1989.                            |
| 2 | Les médicaments d'origine pharmacochimique de la 1ère édition de la Pharmacopée hellénique (1837,1868).<br>S. Philianos, H. Skaltsa Congresso Nazionale dell' Accademia Italiana di Storia della Farmacia, Siena, November, 1990. |
| 3 | Aspects pharmacognostiques de l'oeuvre de Nicandre de Colophon.<br>S. Philianos, H. Skaltsa<br>30th International Congress for the History of Pharmacy, Praha, April, 1991.   |
| 4 | Le Codex manuscrit du Laboratoire de Pharmacognosie de l'Université d'Athènes - 2ème unité.<br>S. Philianos, H. Skaltsa<br>30th International Congress for the History of Pharmacy, Praha, April, 1991.                           |
| 5 | Sur les morsures et les venins d'animaux (13ème discours d'Aétus d'Amide).<br>S. Philianos, H. Skaltsa.<br>Congresso Nazionale dell' Accademia Italiana di Storia della Farmacia, Pavia, October, 1991.                           |
| 6 | Aspects pharmacognostiques de "Theriaka" de Nicandre de Colophon.<br>H.Skaltsa, S.Philianos.<br>Congresso Nazionale dell' Accademia Italiana di Storia della Farmacia, Pavia, October, 1991.                                      |
| 7 | Considérations pharmacognostiques sur l'oeuvre de Théophane Nonnos-1ère communication.  |

|    |   |
|----|---|
|    | H. Skaltsa, S. Philianos.<br>Congresso Nazionale dell' Accademia Italiana di Storia della Farmacia, Rome, November, 1992.   |
| 8  | Considérations pharmacognostiques sur l'oeuvre de Théophane Nonnos- 2ème communication.<br><br>M. Rallis, H. Skaltsa, S. Philianos.<br><br>31 <sup>st</sup> International Congress for the History of Pharmacy, Heidelberg, May, 1993.                        |
| 9  | Etude comparative de la première édition de la Pharmacopée hellénique (1837, 1868) et de la Pharmacopée bavaroise (1822).<br><br>S. Philianos, H. Skaltsa.<br><br>31 <sup>st</sup> International Congress for the History of Pharmacy, Heidelberg, May, 1993. |
| 10 | Aspects pharmacognostiques de "Theriaka" de Nicandre de Colophon. II.<br><br>S. Philianos, H. Skaltsa.<br><br>Atti dell' Accademia, 1994, Anno XI, no 2, p.139-144.   |
| 11 | Les médicaments préconisés par Théophane Nonnos en Gynécologie.<br><br>H. Skaltsa, S. Philianos, H. Stamatoyianni.<br><br>32 <sup>rd</sup> International Congress for the History of Pharmacy, Paris, September, 1995   |
| 12 | L'Aconit chez Nicandre et de nos jours.<br><br>S. Philianos*, H. Skaltsa, G. Papaphilippou.<br><br>Rêvue d'Histoire de la Pharmacie, 1997, XLV, n° 316, 405-410.  |
| 13 | Hellébore, ciguë et pommade mercurielle chez Robert Merle.<br><br>S. Philianos*, H. Skaltsa,<br><br>Rêvue d'Histoire de la Pharmacie, 2001, XLIX, n° 329, 115.<br><br>Communications de l'Académie Internationale de la Pharmacie, 2001, n° 39, 196.          |
| 14 | Aragon et Shakespeare- Commentaires pharmaceutiques.<br><br>S. Philianos*, H. Skaltsa<br><br>Rêvue d'Histoire de la Pharmacie, 2001, XLIX, n° 331, 459-460.<br><br>Communications de l'Académie Internationale de la Pharmacie, 2001, n° 40, 258              |

### Research Projects

|   |   |
|---|---|
| 1 | Isolation and evaluation of the insect-repellency and antimicrobial activity of micro-fungi metabolites. Bilateral project: Greece-Yugoslavia.  |
| 2 | Secondary metabolites from <i>Anthemis melanolepsis</i> (Asteraceae) and encapsulation in liposomes, aiming to the improvement of their biological action. Greek Ministry of Education-E.U.   |
| 3 | Secondary metabolites of <i>Quercus ilex</i> (Fagaceae) following insect attack. Use of the modern techniques of molecular modeling, aiming to the development of new bioactive compounds of natural origin. Greek Ministry of Education-E.U. |

|          |  |
|----------|--|
| <b>4</b> | Secondary metabolites from Greek endemic medicinal plants with antimicrobial and cytotoxic/cytostatic activity. Bilateral project: Greece-Serbia [2004-2006].                                |
| <b>5</b> | Secondary metabolites isolated from <i>Anthemis</i> sp. active against <i>Helicobacter pylori</i> growth. Prdidiction and optimization of ADME parameters. Bilateral project: Greece-Turkey. |
| <b>6</b> | Antiinflammatory and cytotoxic activities of labdane diterpenes isolated from greek endemic taxa of the Lamiaceae family. Bilateral project: Greece-Germany. IKYDA-DAAD 2007-2009.           |

**Supervision of Ph. D. Thesis:** 8 (6 Greek and 2 foreign students: Algeria, Serbia)

**Supervision of M. Sc.: 23**

Current MS students 3

Current Phd students 1

Current Post docs 2

#### **Memberships in International Scientific Societies**

Since 1993-International Academy for the History of Pharmacy; Société Française d' Histoire de la Pharmacie.

Since 1997-GA (Gesellschaft für Arzneipflanzenforschung, Society for medicinal Plant Research).

Since 2002- AMAPSEEC (Association for the Medicinal and Aromatic Plants of Southeast European Countries).

Since 2005-PSE (Phytochemical Society of Europe).

Member of many Greek Associations/Societies, such as Hellenic Association of Pharmacists - Member of the board, Hellenic Society for the Protection of Nature, Hellenic Botanical Society, Hellenic Society of Ethnopharmacology, Greek Society of Pharmacology, Hellenic Society of Medicinal Chemistry, Hellenic Society of Cosmetology etc.